

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director  
Division of Water  
Room W264  
402 West Washington Street  
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water  
Room W264  
402 West Washington Street  
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24210

Stream : Brandywine Creek

Applicant : Donna Pope  
850 East New Road  
Greenfield, IN 46140

Description : A portion of a 170' by 791' area has been filled in the west floodplain of the creek. Some fill has been leveled and other fill is stockpiled at the site. The finished fill will vary in depth from 9' on the streamward side to approximately 1' on the landward side. It has been set back 10' back from the top of the bank and has 1:20 sideslopes. The finished elevation of the fill will be at 877.0', NGVD. The fill material shall be obtained via excavation of basements, a pool, and the New Road widening project. Also, an existing home will be replaced on the same foundation. Details of the project are contained in information and plans received at the Division of Water on February 26, 2007.

Location : Along the right (west) stream bank, extends approximately 800' upstream of the County Road 200 North stream crossing  
DOWNSTREAM: at Greenfield, Center Township, Hancock County  
Section 21, T 16N, R 7E, Greenfield Quadrangle  
Quad Code: 3908577  
UTM Coordinates: Downstream 4407873 North, 606252 East  
UPSTREAM:  
UTM Coordinates: Upstream 4408129 North, 606202 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24213

Stream : Killbuck Creek

Applicant : Partuck Corporation  
Richard Case  
5000 Isabella Lane  
Muncie, IN 47304-9550

Description : A new residential development, Country Village Sec. T, will be constructed along the south bank of Killbuck Creek to provide additional housing. Floodway construction activities associated with this development include: (1) a 100 ft x 200 ft x 8 ft deep incised, stormwater detention basin. Runoff will be directed to the basin through 5, 12" HDPE storm sewers constructed within the development. Material excavated from the basin will be used to elevate the building pads located in the fringe; (2) an earthen embankment along the streamward side of the detention basin. The embankment will be 5 ft high by 100 ft long with 3:1 sideslopes and will have a 10 ft top width. It will be set back 100 ft from the top of the streambank; (3) a 75ft long outfall system. The outfall will consist of 12" diameter HDPE pipe that will be buried 4 ft below the existing ground elevations. The system will convey stormwater from the detention basin to the stream. It will terminate in a metal end section that will conform to the streambank. Riprap will be placed at the base of the end section for energy dissipation; (4) 100 ft x 1000 ft area will be filled in the south floodplain of Killbuck Creek for the expansion of the subdivision. The fill will vary in depth from 10" on the landward side to approximately 4 ft on the streamward side. It will be set 100 ft back from the top of the bank and will have 3:1 sideslopes. The finished elevation of the fill will be 912 ft, NGVD. The subdivision will be constructed on top of the completed fill. The fill material will be obtained by excavating of the retention ponds. Details of the project are contained in information received electronically at the Division of Water on February 28, 2007 and in plans and information received at the Division of Water on March 9, 2007.

Location : Beginning at the West Palisades Parkway and Seneca Drive intersection and extending approximately 1400' northwest and 1300' northeast  
DOWNSTREAM: near Muncie, Hamilton Township, Delaware County  
NW¼, SW¼, Section 17, T 21N, R 10E, Wheeling Quadrangle  
Quad Code: 4008534  
UTM Coordinates: Downstream 4458810 North, 633890 East  
UPSTREAM:  
UTM Coordinates: Upstream 4458725 North, 634570 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24217

Stream : Campbells Run

Applicant : \*Indiana Department of Transportation  
Richard L Phillabaum  
100 North Senate Avenue, Room N642  
Indianapolis, IN 46204-2216

Description : The existing single span concrete arch bridge carrying State Road 26 over Campbell's Run will be rehabilitated and widened by removing the deck, spandrel walls, bridge rails and wingwalls and constructing a new reinforced concrete bridge slab and widened approach slabs. The new structure will have an out-to-out length of 75' and a clear roadway width of 45' 4". The abutments and piers will be skewed 20 degrees to align with the streamflow. The abutments will be armored with geotextile over riprap. New spandrel walls will be constructed and fill placed between the walls. The existing abutment footings and concrete arch ring will be expanded. New bridge rails, guardrail, wingwalls and riprap will be installed. Silt buildup in the channel under the bridge will be removed. Details of the project are contained in plans and information received at the Division of Water on September 3, 2004.

Location : At the State Road 26 river crossing  
near Rossville, Ross Township, Clinton County  
NW¼, NW¼, NE¼, Section 23, T 23N, R 2W, Rossville Quadrangle  
Quad Code: 4008645  
UTM Coordinates: Downstream 4473900 North, 533175 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24220

Stream : Junk Ditch

Applicant : Golf Dome  
Daniel T Arnold  
Thistle Recreation LLC  
3894 New Vision Drive  
Fort Wayne, IN 46845-1708

Description : Three 30' by 60' open-sided pavillions will be constructed at an elevation of 756.00', NGVD. These buildings will be placed on a total of 1500 cubic yards of fill material excavated from another site within the floodway. Two additional parking areas will be constructed adjacent to the existing parking area, extending the existing parking area to the west and east. The western addition will be approximately 216' by 180' and the eastern addition will be approximately 140' by 438'. This project will also include the cutting, clearing, and regrading of approximately 1400' of each of the two existing swales. These sites will then be seeded and mulched and the excavated material will be placed at another location within the floodway. Two foot bridges, each 24' long and 10' wide, will be placed across the more northern swale to connect the parking area to an existing field for possible future development. Details of the project are contained in information and plans received at the Division of Water on March 6, 2007.

Location : 5702 Engle Road; approximately 100' south and 1600' west of the Engle Road and Smith Road intersection extending 1200' north and 1600' west  
DOWNSTREAM: near Fort Wayne, Wayne Township, Allen County  
NE¼, NW¼, NE¼, Section 19, T 30N, R 12E, Fort Wayne West Quadrangle  
Quad Code: 4108512  
UTM Coordinates: Downstream 4545294 North, 650033 East  
UPSTREAM: NE¼, SW¼, SE¼, Section 18, T 30N, R 12E  
  
UTM Coordinates: Upstream 4545723 North, 650018 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24221

Stream : Little Calumet River

Applicant : American Water Company, Indiana  
Harold A Smith  
650 Madison Street  
Gary, IN 46402-2254

Description : A 30" diameter watermain will be placed beneath the stream. The utility line will have a minimum 5' of cover beneath the streambed and a minimum 6' of cover in the banks. The site will be returned to pre-construction grade upon completion. Details of the project are contained in information and plans received at the Division of Water on March 6, 2007.

Location : Approximately 1025' west (upstream) of the Grant Street crossing  
DOWNSTREAM: near Gary, Calumet Township, Lake County  
NW¼, NE¼, NE¼, Section 20, T 36N, R 8W, Gary Quadrangle  
Quad Code: 4108753  
UTM Coordinates: Downstream 4601621 North, 469991 East  
UPSTREAM:  
UTM Coordinates: Upstream 4601621 North, 469991 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24222

Stream : Unnamed Tributary South  
Fork Salt Creek

Applicant : Stephen E Hanner  
8996 West County Road 725 North  
Norman Station, IN 47264-9710

Description : Sand and gravel bars will be dredged to a depth up to 2' along various locations of the applicants property. An end loader on a tractor or bobcat will perform the dredging. The excavated material will be deposited upland of the floodway. Details of the project are contained in information and plans received at the Division of Water on March 07, 2007.

Location : Beginning approximately 1300' upstream of the confluence with South Fork Salt Creek and continuing upstream for approximately 3200'  
DOWNSTREAM: near Kurtz, Salt Creek Township, Jackson County  
N½, SW¼, Section 9, T 6N, R 3E, Kurtz Quadrangle  
Quad Code: 3808682  
UTM Coordinates: Downstream 4313559 North, 568665 East  
UPSTREAM:  
UTM Coordinates: Upstream 4313198 North, 569425 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24223

Stream : Mississinewa River

Applicant : JMY Realty  
Mike McCarty  
614 E. 4th Street  
Marion, IN 46952-4001

Description : A 125' by 64' commercial building will be constructed on 0' to 3.7' of fill. The fill for the building pad will measure approximately 100' by 155' and will have 3 to 1 side slopes to existing grade. A asphalt parking lot will be constructed on the west and south sides of the building. The finish grade of the parking lot will be 800.5', NGVD'29, and the finished floor elevation of the building will be 800.6', NGVD'29. Details of the project are contained in information and plans received at the Division of Water on March 09, 2007.

Location : Approximately 15' south of State Route 18 and approximately 1500' northwest of the State Route 18 crossing of the Mississinewa River  
DOWNSTREAM: near Marion, Franklin Township, Grant County  
SW¼, NW¼, SW¼, Section 5, T 24N, R 8E, Marion Quadrangle  
Quad Code: 4008556  
UTM Coordinates: Downstream 4490537 North, 614078 East  
UPSTREAM:  
UTM Coordinates: Upstream 4490484 North, 614104 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10



# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24224

Stream : Sweet Creek

Applicant : Chance Felling  
120 East Market Street  
Indianapolis, IN 46204-3250

Description : Approximately 390' of an area will be excavated for a proposed drainage ditch. The ditch will provide storm water drainage from a proposed residential development. At the point where the ditch will discharge into the Creek, the ditch will be approximately 50' x 4' with sideslopes of 6:1. The ditch will be graded at a slope of 0.8%. The excavated materials will be used for fill or removed from the floodway. Also a 75' area of forested wetland located between the tree line and the Creek will be disturbed. Details of the project are contained in information and plans received at the Division of Water on March 9, 2007 and March 14, 2007.

Location : Approximately 1200' upstream of the County Road 1100 North stream crossing near Pleasant View, Moral Township, Shelby County  
NW¼, SE¼, SW¼, Section 1, T 14N, R 5E, Acton Quadrangle  
Quad Code: 3908568  
UTM Coordinates: Downstream 4393200 North, 591950 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24225

Stream : North Fork

Applicant : Roberta Zenn  
10105 Pyrite Court  
Noblesville, IN 46060-7996

Description : The project consists of a new stream crossing for a driveway that will serve a single residence and will represent the only access pathway over the stream. The proposed stream crossing will include a single 24 foot long, 4.0 foot high by 12.0 foot wide concrete box culvert (4-sided) with wing-walls on both sides. The 20 foot (out-to-out width) wide roadway will be set such that the 100 year flood will over-top the crossing embankment with a depth of approximately 1.5 feet. The roadway surface will be paved and the embankment side slopes will be rip rapped to protect from flood scour in the area of potential road over-topping. Details of the project are contained in information received electronically at the Division of Water on March 09, 2007.

Location : The proposed stream crossing site is located at river mile 0.78 (miles above mouth), south of East 86th Street approximately halfway between the two East 86th crossings of North Fork  
at Indianapolis, Lawrence Township, Marion County  
Section 22, T 17N, R 5E, McCordsville Quadrangle  
Quad Code: 3908588

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24232

Stream : Ohio River

Applicant : Duke Energy  
William B Taylor  
1000 East Main Street  
Plainfield, IN 46168-1782

Description : Two access ramps will be constructed to access a previously approved landfill. Also, a 21.5 acre borrow pit will be created onsite to provide fill for the proposed access ramps. Details of the project are contained in information and plans received at the Division of Water on October 6, 2006.

Location : Along the right (west) overbank at the Gallagher Generating, river mile 610.9 near New Albany, New Albany Township, Floyd County  
Section 15, T 3S, R 6E, New Albany, IN-KY Quadrangle  
Quad Code: 3808537  
UTM Coordinates: Downstream 4234293 North, 601355 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24233

Stream : Wolf Run

Applicant : Indiana Department of Natural Resources  
Larry Wayland  
I.C.G.N. South  
402 West Washington Street  
Indianapolis, IN 46204-2739

Description : The purpose of this project is to upgrade the dam and spillway at Franke Lake to pass the PMP storm event. This is a standard required by the IDNR Dam Safety Section. Activities include repairing existing boat ramp and stilling basin, placement of rip rap on the lake side of the dam face for erosion control, installation of a new emergency spillway, fixing of the leak in the principal spillway, and re-aligning an erosion gully that is undercutting the toe of the dam. Additional improvements include installation of new guard rails and re-paving of parking areas. Wolf Run, the stream that feeds Franke Lake, does not have a drainage area of more than one square mile. This Construction in a Floodway application is for Dam Safety Approval. Details of the project are contained in information received electronically at the Division of Water on March 15, 2007.

Location : The project is located at the Franke Lake Dam, within the Clark State Forest, northwest of the Intersection of SR 160 and I-65  
near Henryville, Monroe Township, Clark County  
Section 32, T 1N, R 7E, Henryville Quadrangle  
Quad Code: 3808557

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

- Application # : PL-20684
- Lake : Webster Lake
- Applicant : Patricia & Stanley Augustyn  
Steve Brown  
172 EMS West 17 Lane  
North Webster, IN 46555-9500
- Description : A concrete seawall will be constructed across 50' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. The existing timber seawall will be removed. Details of the project are contained in information and plans received at the Division of Water on March 06, 2007.
- Location : 172 EMS W17 Lane; Lot 4 Replat of Hiner Park On Webster Lake  
near North Webster, Tippecanoe Township, Kosciusko County  
NE¼, SW¼, SW¼, Section 12, T 33N, R 7E, North Webster Quadrangle  
Quad Code: 4108536  
UTM Coordinates: Downstream 4575813 North, 611472 East
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11
- Application # : PL-20686
- Lake : Blue Lake
- Applicant : Jerry Mc Clure  
5243 North Blue Lake Road  
Churubusco, IN 46723-9779
- Description : A 50' by 30' area at the entrance to the channel from the lake will be dredged out to a maximum depth of 4' The average depth now ranges from 0 to 1' The excavated material will be hauled of site by dump truck for dewatering. Details of the project are contained in information received electronically at the Division of Water on March 09, 2007.
- Location : 5243 North Bluelake Road  
near Churubusco, Smith Township, Whitley County  
Section 10, T 32N, R 10E
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-20687

Lake : Lake Manitou

Applicant : Dennis Dunten  
7758 North State Road 29  
Frankfort, IN 46091-7953

Description : An existing concrete seawall will be refaced with a layer of concrete across 40' of the applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on March 12, 2007.

Location : 2528 Wolf Point; Lot 40, Wolf Point 1st Addition  
near Rochester, Rochester Township, Fulton County  
SW¼, SE¼, NW¼, Section 15, T 30N, R 3E, Rochester Quadrangle  
Quad Code: 4108612  
UTM Coordinates: Downstream 4544220 North, 568850 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20688

Lake : Lake Manitou

Applicant : Harry Gehrich  
2530 Wolf Point  
Rochester, IN 46975-8685

Description : An existing concrete seawall will be refaced with a layer of concrete across 120' of the applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on March 12, 2007.

Location : 2530 Wolf Point; Lots 41-43, Wolf Point 1st Addition  
near Rochester, Rochester Township, Fulton County  
SW¼, SE¼, NW¼, Section 15, T 30N, R 3E, Rochester Quadrangle  
Quad Code: 4108612  
UTM Coordinates: Downstream 4544210 North, 568850 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-20690

Lake : Tippecanoe Lake

Applicant : Patona Bay, Inc  
George Lung  
2 EMS T33B Lane  
Leesburg, IN 46538-9114

Description : A concrete boat ramp will be constructed along 22ft of the approximate 1000 ft frontage at Tippecanoe Lake to provide a safe area to launch boats. The ramp will extend approximately 45 ft lakeward of, and will conform to the legal shoreline of the lake. We will normally have several thousand boats launched at our ramp on an annual basis. The current ramp has deteriorated to the extent this it is a hazzard. We only want to replace what is currently existing. We would like to file this permit as an emergency request, because to delay will cause us undue hardship. Details of the project are contained in information received electronically at the Division of Water on March 13, 2007.

Location : The area is located approximately 4 miles east of Leesburg on county road 700 N. It is at the west side of Tippecanoe Lake. The legal description is 029-046-001 Lot 12-33-4 44A.  
Near Leesburg, Plain Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-20691

Lake : West Otter Lake

Applicant : David C Dimmer  
215 Lane  
290 West Otter Lake  
Angola, IN 46703-9758

Description : An existing underwater beach will be improved in front of the property of the applicant on West Otter Lake to prevent further beach erosion. A 6 inch layer of 7/64 inch clean, washed pea gravel will be placed directly on top of the remaining sand. The placement will begin approximately 30 ft south of the northern property line and extends southerly across 30 ft of the 70 ft frontage. It projects lakeward for the lessor of 20 ft or a depth of 4 ft below the average level of the lake. Details of the project are contained in information received electronically at the Division of Water on March 13, 2007.

Location : Lot number 5 in the Plat of Miller's Subdivision according to the recoded plat thereof.

The South part of Lot Numbered Six (6) in said Miller's Subdivision, bounded as follows: commencing at the Southwest corner of said Lot #d 6 and running thence North 10 feet to the SW corner of land conveyed to Joseph McCorkel by deed recorded in Deed Record Vol. 115, page 506 of said county, thence Easterly along the South line of said McCorkel's land to the shore of West Otter Lake at a point 9 feet North of the SE corner of said Lot #d 6; thence South to the SE corner of said Lot' thence West to the place of beginning. At Angola, Clearspring Township, LaGrange County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11